



EXPERT FLOORING
MANUFACTURER SINCE 2005





Our Passion is Nature and Performance

CONTENTS

SPC Flooring P1-P16

WPC Flooring P17-P20

LVP Glue Down Flooring P21-P24

Engineered Wood P25-P32

Solid Wood P33-P35

Laminate P36

Water Resistant Laminate P37-P38

Molding P39-P40

Underlayment P41



GREAT EXPECTATIONS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	8 MIL(0.2MM)
WEAR LAYER APPEARANCE	EMBOSSED
FINISH	UV CURED URETHANE
SIZE	7"X48" NOMINAL
PIECES PER CARTON	10
QUANTITY	23.64 SF
CARTON WEIGHT	37 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1,654.8 SF
PALLET WEIGHT	2,380 LBS
CONTAINER QUANTITIES	20 PALLETS/33,096 SF



UNIQUE 880

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



GE156 CINNAMON GE480 SWICKED HICKORY GE489 GRAYLING GE486 DRIFTWOOD GE488 HAZEL GE494 CHESTNUT GE452 GOLDEN OAK GE919 BURNISHED PECAN 883 FAMOUS 881 HAPPINESS 884 PLEASANT 880 UNIQUE



HAWTHORN RIGID

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	4.0MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV CURED URETHANE
WEAR LAYER APPEARANCE	DEEP EMBOSSED
PIECES PER CARTON	10
CARTON QUANTITY	24.30 SF
CARTON WEIGHT	41.8 LBS
CARTONS PER PALLET	65
PALLET QUANTITY	1,579.5 SF
PALLET WEIGHT	2762 LBS
CONTAINER QUANTITIES	20 PALLETS/31,590 SF

PHthalate FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSCORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



SABLE SPC45-10



PINNACLE SPC45-7

HAZEL SPC45-12

CASTLE SPC45-8

SABLE SPC45-10

FOSSIL SPC822

COLONIAL SPC3022

BRAZILIAN RED HICKORY SPC032

AMERICAN GREY OAK SPC53E

SUNSET SPC007



JAYDEN COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7.2"X48"
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV COATING
WEAR LAYER APPEARANCE	EMBOSSED
BEVEL TREATMENT	MICRO BEVEL
ATTACHED CUSHION	1 MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	24 SF
CARTON WEIGHT	35.4 LBS
PALLET WEIGHT	2478 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1680 SF
CONTAINER QUANTITIES	20 PALLETS/33,600 SF



SA60 BRICK

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



SA60 BRICK



SA110 RUSTY



SA113 GUNMETAL



SA88 BEACHSIDE



PREMIER ULTRA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER APPEARANCE	EMBOSSED
FINISH	ALUMINUM, OXIDE
ATTACHED CUSHION	1MM EVA PAD
PIECES PER CARTON	10 CARTON
QUANTITY	24.29 SF
CARTON WEIGHT	42 LBS
CARTONS PER PALLET	65
PALLET QUANTITY	1,578.85 SF
PALLET WEIGHT	2,730 LBS
CONTAINER QUANTITIES	20 PALLETS/31,577 SF



PHthalate FREE
100% VIRGIN PVC CONSTRUCTION
FLOORScore CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



VIENNA 8814-1



AROMA 8814-3



MOCHA 8814-5



WILLOW 19-007



RIGID PLUS II

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV CURED URETHANE
WEAR LAYER APPEARANCE	EMBOSSED
ATTACHED CUSHION	1MM EVA PAD
PIECES PER CARTON	10
CARTON QUANTITY	23.64 SF
CARTON WEIGHT	34 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1,654.8 SF
PALLET WEIGHT	2,380 LBS
CONTAINER QUANTITIES	20 PALLETS/33,096 SF



RP494 CHESTNUT

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



RP156 CINNAMON

RP460 SMOKED HICKORY

RP485 APPALACHIA

RP485 DRIFTWOOD

RP485 HAZEL

RP489 GRAYING

RP494 CHESTNUT

RP400 SMOKEY OAK

RP452 GOLDEN OAK

RP919 BURNISHED PECAN



STONECORE COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
OVERALL THICKNESS	5.0 MM
WEAR LAYER THICKNESS	22MIL
WEAR LAYER APPEARANCE	TILE
FINISH	CERAMIC BEAD SIZE
ATTACHED CUSHION	1 MM IXPE
SIZE	12"×24" NOMINAL
PIECES PER CARTON	10
CARTON QUANTITY	20.03 SF
CARTON WEIGHT	34.5 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	961.44 SF
PALLET WEIGHT	1656 LBS
CONTAINER QUANTITIES	30 PALLETS-20FT 28843.2 SF



PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



Obsidian



Slate



Ivory Quarry



Sandstone



Golden Dune



ASSURANCE

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV CURED URETHANE
WEAR LAYER APPEARANCE	EMBOSSED
PIECES PER CARTON	10
CARTON QUANTITY	23.64 SF
CARTON WEIGHT	35.4 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1,654.8 SF
PALLET WEIGHT	2478 LBS
CONTAINER QUANTITIES	20 PALLETS/33096 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



A880
DISTINCTIVE



A881
CONTENT



A883
PROMINENT



A884
AGREEABLE



A885
INSPIRE



GRAND VALLEY II

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
OVERALL THICKNESS	5.5MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
BEVEL	V-GROOVE PAINTED
ATTACHED CUSHION	1.5MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	30.17 SF
CARTON WEIGHT	50 LBS
CARTONS PER PALLET	50
PALLET QUANTITY	1,508.5 SF
PALLET WEIGHT	2,618 LBS
CONTAINER QUANTITIES	21 PALLETS/31,678.5 SF



PHTHALATE FREE
 100% VIRGIN PVC CONSTRUCTION
 FLOORSORE CERTIFIED



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



GV246 MT MCKINLEY GV701 OUTPOST GV206 WINTER GREY GV203 SINTRA OAK GV1753 DELANO GV6559 LANGLEY GV6134 LONG BEACH GV4322 LONG HILL GV1681 NEW YORK GV7413 FARMINGDALE



HIGHLAND

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	9"X72" NOMINAL
WEAR LAYER	UV CURED URETHANE WITH CERAMIC BEAD
WEAR LAYER THICKNESS	20 MIL(0.5MM)
APPEARANCE	WOOD GRAIN EMBOSSING
BEVEL	V-GROOVE PAINTED
PIECES PER CARTON	6
OVERALL THICKNESS	7.0MM
CORE MATERIAL&THICKNESS	5.5MM ABA CONSTRUCTION VINYL+SPC+VINYL
ATTACHED CUSHION	1.5MM HIGH DENSITY EVA WITH WATERPROOF FILM
CARTON QUANTITY	27.2 SF
CARTON WEIGHT	60 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	1305.6 SF
PALLET WEIGHT	2880 LBS
40 CONTAINER QUANTITIES	18 PALLETS/23,500.8 SF



WD3003



PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)





RIGID ULTRA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	6MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
ATTACHED CUSHION	2MM EVA PAD
PIECES PER CARTON	10
CARTON QUANTITY	23.8 SF
CARTON WEIGHT	42 LBS
CARTONS PER PALLET	60
PALLET QUANTITY	1,428 SF
PALLET WEIGHT	2,595 LBS
CONTAINER QUANTITIES	20 PALLETS/28,560 SF



RECLAIMED SUMMER

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



18001 RECLAIMED SUMMER



18012 BEACHCOMBER



18013 DISTRESSED PINE



18005 RIVERWALK OAK



18006 SILVERED MAPLE



TRIUMPH COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	9"X60"
OVERALL THICKNESS	5.5MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	UV COATING
WEAR LAYER APPEARANCE	EMBOSSED
BEVEL TREATMENT	MICRO BEVEL
ATTACHED CUSHION	1.5MM PAD
PIECES PER CARTON	8
CARTON QUANTITY	30 SF
CARTON WEIGHT	50 LBS
CARTONS PER PALLET	72
PALLET QUANTITY	2160 SF
PALLET WEIGHT	3600 LBS
CONTAINER QUANTITIES	14 PALLETS/30,240 SF



PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



SA112 CONQUER



SA14 VICTORY



SA106 OPULENCE



SA38 PROSPER



GLORY COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	5.0MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER APPEARANCE	EMBOSSED
FINISH	ALUMINUM OXIDE
ATTACHED CUSHION	1.0MM EVA PAD
PIECES PER CARTON	12
CARTON QUANTITY	28.4 SF
CARTON WEIGHT	49 LBS
CARTONS PER PALLET	55
PALLET QUANTITY	1,562 SF
PALLET WEIGHT	2,695 LBS
CONTAINER QUANTITIES	20 PALLETS-20FT 31,240 SF



Prestige USA182

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

FLOORSORE CERTIFIED



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



- Honor USA19-007
- Majesty USA246
- Acclaimed USA701
- Prestige USA182
- Tribute USA3006
- Illustrious USA206
- Pride USA45-7
- Splendor USA452
- Renowned USA8541
- Distinction USA8387
- Greige Walnut 1564



EARTH DELIGHTS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK	
SIZE	7"X48"	/ 9"X48"
OVERALL THICKNESS	6MM	
WEAR LAYER THICKNESS	22MIL	
WEAR LAYER FINISH	ALUMINUM OXIDE	
WEAR LAYER APPEARANCE	EMBOSSED	
CARTON QUANTITY	28.68 SF	/ 27.63 SF
PIECES PER CARTON	12	/ 9
CARTON WEIGHT	50 LBS	/ 48 LBS
CARTON PER PALLET	55	/ 56
PALLET WEIGHT	2,750 LBS	/ 2,688 LBS
CONTAINER QUANTITIES	20 PALLETS	
	31,548 SF	/ 30,945.6 SF



PHthalate FREE

100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



G206 Stardust 7" G182 Almond 7" G701 Toasted Timber 7" G3006 Truffle 7" G452 Harvest 7" ED6412 Bernhardt 7" ED802 Black Oak 9" ED6222 Morning Dew 9" ED919 Burnished Pecan 9"



VENETIAN COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	12"X24"
OVERALL THICKNESS	6.5MM
WEAR LAYER THICKNESS	20 MIL
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	LIGHT EMBOSS
BEVEL TREATMENT	V-GROOVE PAINTED
ATTACHED CUSHION	1 MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	19.38 SF
CARTON WEIGHT	48 LBS
PALLET WEIGHT	2350 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	930.24 SF
CONTAINER QUANTITIES	20 PALLETS/18,604.8 SF



BOLZANO 2823

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)




NOVE
1406




ELBA
2804



MOUNT ETNA
2815



BOLZANO
2823



AVIAND
2832



CAVE DI MARMO
2833



MARITIME COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48"
OVERALL THICKNESS	6.5MM
WEAR LAYER THICKNESS	20 MIL
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
BEVEL TREATMENT	V-GROOVE PAINTED
ATTACHED CUSHION	1.5 MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	23.33 SF
CARTON WEIGHT	54 LBS
PALLET WEIGHT	2430 LBS
CARTONS PER PALLET	45
PALLET QUANTITY	1049.85 SF
CONTAINER QUANTITIES	20 PALLETS/20,997 SF



KNOTTY SEA DRIFT 8009



PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



Weathered Boardwalk 2450



Knotty Sea Drift 8009



Chestnut Cove 8013



Inland Grey 8022



Sand Swept 8028



Schooner Plank 9001



GLORY SUPREME COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY:	SPC CORE LUXURY VINYL PLANK
SIZE:	7.2" x 48"
OVERALL THICKNESS:	5.5 MM
WEAR LAYER THICKNESS:	20MIL (0.5MM)
WEAR LAYER FINISH:	UV COATING
WEAR LAYER APPEARANCE:	EMBOSSED
BEVEL TREATMENT:	PAINTED BEVEL
ATTACHED CUSHION:	1.5 MM PAD
PIECES PER CARTON:	12
CARTON QUANTITY:	28.84 SF
CARTON WEIGHT:	55
CARTONS PER PALLET:	49 LBS
PALLET QUANTITY:	1586 SF
PALLET WEIGHT:	2757 LBS
CONTAINER QUANTITIES:	20 PALLETS-20FT



PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



PRESTIGEII VG182



SPLENDORII VG452



ACCLAIMEDII VG701



DISTINCTIONII VG8387



MAJESTYII VG246



ILLUSTRIOUSII VG206



RESERVE COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED LUXURY VINYL PLANK
SIZE	9"X60"
OVERALL THICKNESS	Nominal 1/2"(12MM)
WEAR LAYER THICKNESS	22MIL(0.55MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTERED
CARTON QUANTITY	26.18SF
PIECES PER CARTON	7
CARTON WEIGHT	55
CARTON PER PALLET	44
PALLET WEIGHT	2480 LBS
CONTAINER QUANTITIES	23 PALLETS/26,494.16 SF



PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



R9825 AVALON



R6412 BERNHARDT



R9802 MAISON



R9821 CHANTILLY



R9824 DAWSON



OAKHAVEN COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY:	ENGINEERED LUXURY VINYL PLANK
SIZE:	9"X60"
OVERALL THICKNESS:	NOMINAL 7.5MM
BEVEL:	PAINTED V-GROOVE
WEAR LAYER THICKNESS:	20MIL(0.5MM)
WEAR LAYER FINISH:	ALUMINUM OXIDE
WEAR LAYER APPEARANCE:	EMBOSSED
CARTON QUANTITY:	33.66 SF
PIECES PER CARTON:	9
CARTON WEIGHT:	41.71 LBS
CARTONS PER PALLET:	44
PALLET QUANTITY:	1,481.04 SF
PALLET WEIGHT:	1,834.8LBS
CONTAINER QUANTITIES:	27 PALLETS/39,988.08 SF



Sahara Oak

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



Aurora Oak

Everwood Oak

Sahara Oak

Whispering Oak

Alpine

Bedrock Wood

Rough Sewn Revival

Rustic Oak

Barnwood



SERENE SCAPES

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED LUXURY VINYL PLANK
SIZE	9"X60" NOMINAL
OVERALL THICKNESS	8MM
WPC CORE THICKNESS	4MM
LVT TOP THICKNESS	2MM
ATTACHED CUSHION	2MM
BEVEL	FOUR SIDES NATURAL PRESSED BEVEL
WEAR LAYER THICKNESS	22MIL
WEAR LAYER FINISH	ALUMINUM OXIDE
FINISH	EMBOSSED IN REGISTER
CARTON QUANTITY	37.4 SF
PIECES PER CARTON	10
CARTON WEIGHT	56 LBS
CARTONS PER PALLET	48
PALLET WEIGHT	2688 LBS
CONTAINER QUANTITIES	21 PALLETS/37,699.2 SF



PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



S6219 Sun-kissed S6220 Moonlight S6221 Windswept Sands S6222 Morning Dew S6307 Mountain Fog S6308 Lunar Eclipse S6309 Starry Night S6310 Untouched Beaches American cherry Brazilian cherry



SPARTA DIAMOND

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED LUXURY VINYL PLANK
SIZE	9"X72" NOMINAL
OVERALL THICKNESS	8MM
LWP CORE THICKNESS	4MM
LVT TOP THICKNESS	2MM
ATTACHED CUSHION	2MM
WEAR LAYER THICKNESS	22MIL(0.56MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
CARTON QUANTITY	27 SF
PIECES PER CARTON	6
CARTON WEIGHT	40 LBS
CARTONS PER PALLET	60
PALLET QUANTITY	1,620 SF
PALLET WEIGHT	2,475 LBS
CONTAINER QUANTITIES	23 PALLETS/37,260 SQFT



MW147



PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



MW147 OYSTER



MW182 SANDALWOOD



MW472 BEACHWOOD



MW475 DRIFTWOOD



MW701 WEATHERED OAK



MW702 MANOR OAK



MW708 SMOKED TIMBER



ALABASTER



CIAM SI EL



IVORY COAST



MAGELLAN



MAIBAR



FOUNDATION COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	6"X48" NOMINAL
OVERALL THICKNESS	2MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER APPEARANCE	CERAMIC BEAD
FINISH	ALUMINUM OXIDE
PIECES PER CARTON	20
CARTON QUANTITY	40 SF
CARTON WEIGHT	34 LBS
CARTONS PER PALLET	72
PALLET QUANTITY	2880 SF
PALLET WEIGHT	2448 LBS
CONTAINER QUANTITIES	20 PALLETS-20FT/57,600 SF



PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED



WARRANTIES

INSTALLATION

GLUE DOWN



FC880 EASY GREY



FC538 PEWTER



FC246 BALMY



FC452 NEW HARVEST



CONTOUR COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	9"X48" NOMINAL
OVERALL THICKNESS	5MM
WEAR LAYER THICKNESS	22 MIL(0.55MM)
WEAR LAYER APPEARANCE	CERAMIC BEAD
FINISH	ALUMINUM OXIDE
PIECES PER CARTON	10
CARTON QUANTITY	30 SF
CARTON WEIGHT	51 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	1,440 SF
PALLET WEIGHT	2,448 LBS
CONTAINER QUANTITIES	20 PALLETS-20FT/28,800 SF



C193 METROPOLITAN

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED



WARRANTIES



INSTALLATION
FULL SPREAD

GLUE DOWN



C193 METROPOLITAN C3062 RUSTIC OAK C301 BOUTIQUE GREY C3065 BLANCHED C3063 SOUTHERN CHARM C636 SIGNATURE C637 TIMELESS C452 HONEY OAK C6222 MORNING DEW



BLUE RIDGE

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	2MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
PIECES PER CARTON	20
CARTON QUANTITY	49.13 SF
CARTON WEIGHT	40 LBS
CARTONS PER PALLET	65
PALLET WEIGHT	2,655 LBS
CONTAINER QUANTITIES	20 PALLETS/63,869 SF



BLOWING ROCK 0840

PHthalate FREE
100% VIRGIN PVC CONSTRUCTION
FLOORScore CERTIFIED

WARRANTIES



INSTALLATION

GLUE DOWN



BLOWING ROCK 0840



ROANOKE 0850



ASHEVILLE 4021



CASHIERS 94700



ACADIA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	3MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	ALUMINUM OXIDE INFUSED URETHANE
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
PIECES PER CARTON	16
CARTON QUANTITY	37.33 SF
CARTON WEIGHT	40 LBS
CARTONS PER PALLET	60
PALLET QUANTITY	2,239.8 SF
PALLET WEIGHT	2,450 LBS
CONTAINER QUANTITIES	20 PALLETS/44,796 SF/20FT



1001 PINEHURST

PHthalate FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSCORE CERTIFIED

WARRANTIES



INSTALLATION

GLUE DOWN



3062 AGED TIMBER



1001 PINEHURST



3065 DOVE



Q1768 FOREST WOOD



193 METRO



3063 OUTERBANKS



SHADOWBROOK

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	BIRCH
SIZE	5"X RANDOM LENGTH
OVERALL THICKNESS	3/8"
FINISH	UV CURED URETHANE
APPEARANCE	HANDSCRAPED
CARTON QUANTITY	33.08 SF
CARTON WEIGHT	44 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	1190.88 SF
PALLET WEIGHT	1584 LBS
CONTAINER QUANTITIES	36 PALLETS/42,871.68 SF



CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE



HAYSTACK



NATURAL



OYSTER



TANNED



TERRA



BAINBRIDGE III

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	HICKORY
SIZE	5"X RANDOM LENGTH
OVERALL THICKNESS	3/8"
FINISH	UV CURED URETHANE
APPEARANCE	HAND SCRAPPED/CHATTER
CARTON QUANTITY	33.08 SF
CARTON WEIGHT	45 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	1190.88 SF
PALLET WEIGHT	1620 LBS
CONTAINER QUANTITIES	36 PALLETS/42,871.68 SF




CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES




INSTALLATION

GLUE



SEQUOIA




SMOKED



PALDERO



PRAIRIE



OLYMPIC



WARM EARTH



ATLANTIC COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED FLOORING
SPECIES	HICKORY
SIZE	7-1/2" X R.L. (UP TO 6')
THICKNESS	NOMINAL 9/16"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	38.9 SF
CARTON WEIGHT	71 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	1,556 SF
PALLET WEIGHT	2,840 LBS
CONTAINER QUANTITIES	24 PALLETS/37,344 SF



MARTHAS VINEYARD

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT



WARRANTIES



INSTALLATION

GLUE



MARTHAS VINEYARD



CAROLINA BEACH



NANTUCKET ISLAND



CAPE FEAR



PACIFIC COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED FLOORING
SPECIES	HICKORY
SIZE	7-1/2" X R.L. (UP TO 6')
THICKNESS	NOMINAL 5/8"
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	35 SF
CARTON WEIGHT	68 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	1,400 SF
PALLET WEIGHT	2,720 LBS
CONTAINER QUANTITIES	24 PALLETS/33,600 SF



CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT



WARRANTIES



INSTALLATION


GLUE OR STAPLE



PUNTA GORDA



LAGUNA BEACH



OCEAN SHORES



BIG SUR



SELLERSBURG OAK

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	WHITE OAK
SIZE	5"X RANDOM LENGTH
OVERALL THICKNESS	3/8"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	33.08 SF
CARTON WEIGHT	44 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	1190.88 SF
PALLET WEIGHT	1,584 LBS
CONTAINER QUANTITIES	36 PALLETS/42,871.68 SF



NP513 ADMIRAL OAK

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT



WARRANTIES



INSTALLATION

GLUE



DESERT DUST

NATURAL

STERLING

JACKSON

CHEYENNE

CARAWAY

ADAWA OAK

PORT OAK



VINEYARDS COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	OAK
SIZE	7-1/2" X R.L.(UP TO 6)
OVERALL THICKNESS	1/2"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	31.09 SF
CARTON WEIGHT	50 LBS
CARTONS PER PALLET	50
PALLET QUANTITY	1,554.5 SF
PALLET WEIGHT	2,500 LBS
CONTAINER QUANTITIES	22 PALLETS/34,199 SF



BUTTERFLY CREEK

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE OR STAPLE



BUTTERFLY CREEK LAUREL GLEN WELLINGTON SAPPHIRE HILL SEAL BEACH LANDMARK DEERFIELD WESTBROOK BERINGER O'BRIEN



ENCHANTED COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	OAK
SIZE	7-1/2" X R.L. (UP TO 6')
THICKNESS	NOMINAL 5/8"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	31.09 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	1243.6 SF
PALLET WEIGHT	2,600 LBS
CONTAINER QUANTITIES	24 PALLETS/29846.4 SF



RIVERS EDGE

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE OR STAPLE



GLACIER



BEDROCK



RIVERS EDGE



CARVED VALLEYS



ALPINE MEADOWS



MAJESTIC VIEWS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	OAK ENGINEERED FLOORING
SIZE	6-1/2" X R.L.
OVERALL THICKNESS	3/8"
FINISH	CURED URETHANE
APPEARANCE	WIRE BRUSHED
PIECES PER CARTON	20
CARTON QUANTITY	43 SF
CARTON WEIGHT	56 LBS
CARTONS PER PALLET	27
PALLET QUANTITY	1161 SF
PALLET WEIGHT	1,600 LBS
CONTAINER QUANTITIES	40 PALLETS/46,440 SF




CARB PHASE 2 CERTIFIED

WARRANTIES



INSTALLATION

GLUE



GRAND TETONS



ASPENS



CASCADES



SMOKY MOUNTAINS



ROCKY MOUNTAINS



CRAFTED COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	BIRCH ENGINEERED FLOORING
SIZE	6-1/2" x R.L
OVERALL THICKNESS	3/8"
FINISH	CURED URETHANE
APPEARANCE	WIRE BRUSHED
PIECES PER CARTON	20
CARTON QUANTITY	43 SF
CARTON WEIGHT	56 LBS
CARTONS PER PALLET	27
PALLET QUANTITY	1161SF
PALLET WEIGHT	1,600 LBS
CONTAINER QUANTITIES	40 PALLETS / 46,440SF



FROSTED GRAIN




CARB PHASE 2 CERTIFIED

WARRANTIES



INSTALLATION

GLUE OR STAPLE



PALE CANVAS



AGED CHESTNUT



WARM AMBER



FROSTED GRAIN



BELVEDERE COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SIZE	10-1/4" x R.L. (Up to 86-5/8")
OVERALL THICKNESS	3/4"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	30.8 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	44
PALLET QUANTITY	1,355.2 SF
PALLET WEIGHT	2,860 LBS
CONTAINER QUANTITIES	20 PALLETS / 27,104 SF



CARB II COMPLIANT
LACEY ACT COMPLAINT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE OR STAPLE



BERKELEY



PALISADES



SUMMIT



MONTCLAIR



SONOMA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SOLID HARDWOOD
SPECIES	BIRCH
SIZE	4 3/4"X RANDOM LENGTH
OVERALL THICKNESS	3/4"
FINISH	UV CURED URETHANE
APPEARANCE	HANDSCRAPED CHATTER
CARTON QUANTITY	24.22 SF
CARTON WEIGHT	63 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	968.8 SF
PALLET WEIGHT	2,595 LBS
CONTAINER QUANTITIES	18 PALLETS/17,438.4 SF



WHEAT



CARB II COMPLIANT
LACEY ACT COMPLIANT
FOREST STEWARDSHIP COUNCIL CERTIFIED

WARRANTIES



INSTALLATION

NAIL



SIFTING SANDS



WHEAT



SMOKEY



NATURAL



BUTTERED RUM



WOODFORD



GOLDEN SAND



ASIAN WALNUT

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SOLID HARDWOOD
SPECIES	ASIAN WALNUT
SIZE	5"X RL (up to 6')
OVERALL THICKNESS	3/4"
FINISH	UV CURED URETHANE
APPEARANCE	HANDSCRAPED
CARTON QUANTITY	24.22 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	968.8 SF
PALLET WEIGHT	2,450 LBS
CONTAINER QUANTITIES	22 PALLETS/21,313.6 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
FOREST STEWARDSHIP COUNCIL CERTIFIED

WARRANTIES



INSTALLATION

NAIL



NATURAL



NATURAL



VINTAGE



PARAGON



DUSKY



SAGINAW

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SOLID WOOD
SPECIES	HICKORY
SIZE	4 3/4" X RANDOM LENGTH
OVERALL THICKNESS	3/4"
WEAR LAYER APPEARANCE	DISTRESSED, WIRE BRUSHED
FINISH	UV CURED URETHANE
CARTON QUANTITY	23 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	920 SF
PALLET WEIGHT	2,600 LBS
CONTAINER QUANTITIES	20 PALLETS / 18400 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
FOREST STEWARDSHIP COUNCIL CERTIFIED

WARRANTIES



INSTALLATION


NAIL



NATURAL



NATURAL



COOPER CREEK




CALHOUN



MORGANTON COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LAMINATE FLOORING
SIZE	6 1/2"X48" NOMINAL
OVERALL THICKNESS	14MM
WEAR LAYER	AC4
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
ATTACHED CUSHION	2 MM EVA PAD
PIECES PER CARTON	8
CARTON QUANTITY	17.6 SF
CARTON WEIGHT	37 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	844.8 SF
PALLET WEIGHT	1,842 LBS
CONTAINER QUANTITIES	31 PALLETS/ (26,188.8 SF)



MEET CALIFORNIA CARB II REQUIREMENTS
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM(FLOATING FLOOR)



F662
TOCCA



F665
LOWERY



F666
TANGLEWOOD



L377
SUGAR CREEK



LOFTS COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	Water Resistant Laminate Flooring
SIZE	7.68"W XR.L 2' ,4' ,6'
WEAR LAYER	AC4
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
ATTACHED CUSHION	2 MM EVA PAD
PLANK THICKNESS	12MM
PIECES PER CARTON	9
CARTON QUANTITY	23.05 SF
CARTON WEIGHT	51 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	1106.4 SF
PALLET WEIGHT	2500 LBS
CONTAINER QUANTITIES	16 PALLETS/17,702.4 SF



L9551 ROSSLYN

MEETS CALIFORNIA CARB II REQUIREMENTS
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM(FLOATING FLOOR)



Water resistance 99 hours



L6011 WYNWOOD

L9551 ROSSLYN

L9023 NEWBERRY

L8151 SOHO

L1603 ROWAN

L1623 SOJOURN

L2335 SARATOGA

L1648 PEACHTREE

L8109 MIDTOWN



ESSENTIALS COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	Water Resistant Laminate Flooring
SIZE	7.68"X48"
OVERALL THICKNESS	10 MM
ATTACHED CUSHION	Yes
WEAR LAYER	AC4
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
PIECES PER CARTON	8
CARTON QUANTITY	20.4 SF
CARTON WEIGHT	32 LBS
CARTON PER PALLET	55
PALLET QUANTITY	1,122 SF
PALLET WEIGHT	1760 LBS
CONTAINER QUANTITIES	32 PALLETS/35,904 SF



321 Celestial

MEETS CALIFORNIA CARB II REQUIREMENTS
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM(FLOATING FLOOR)



321 CELESTIAL

328 MORNING HAZE

325 DESERT SKY

323 CANYON DUSK

127 CLOUDBANK

126 MOONDUST



STAIR TREADS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	FLOORING ACCESSORIES
SIZE	4' (L)X12"(W)
THICKNESS	8MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
FINISH	ALUMINUM OXIDE
PIECES PER CARTON	4
CARTON WEIGHT	25 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	144PCS
PALLET WEIGHT	900 LBS

PHTHALATE FREE
100% VIRGIN VINYL FIBERGLASS LAYER
FLOORSORE CERTIFIED

WARRANTIES




INSTALLATION

GLUE DOWN



GV1681



GV701



GV246



GV206



Brazilian cherry



American cherry



WD7005



WD3008



USA452



UNIQUE 880



S6308



S6310



S6219








S6221

Our stair treads selection comes from a few of the same films used in producing our everyday running line flooring. The film selected for the stair treads may have pictures of wood checking, rough sawn marks, and other rustic characteristics of what a real hardwood might look like. It is not considered a flaw nor defect should any of these characteristics be found on the nose of the stair tread or any other places on the stair tread. As always, we encourage you to inspect your purchase prior to installation. No claims will be considered or allowed for these characteristics depicted on our stair treads. A restock fee will apply to all returns as well as any and all freight-related costs of uninstalled or cut stair treads.



UNDERLAYMENT INFORMATION

STYLE #	STYLE	DESCRIPTION	SF/ ROLL	ROLLS/ PALLET	TRUCKLOAD	WGT/LBS PALLET
ULO2	3MM BLACK EVA SCUBA W PLASTIC 	3MM BLACK EVA SCUBA WITH PLASTIC/ LIP AND TAPE	100	78	1440	600
ULO6	BLUE 3N1 FOAM 	2MM WITH VAPOR BARRIER/ LIP AND TAPE	100	100	2440	160
ULO7	6MIL PE FILM 	6MIL PE MOISTURE BARRIER	400	100	5000	1390
UL12		1.5MM BLACK EVA SCUBA WITH PLASTIC/LIP AND TAPE	100	64	2200	250
ULO8	1mm GREEN/ BLACK 	1MM LVP UNDERLAMENT WITH PLASTIC/LIP AND TAPE	100	64	2200	150



Our Passion is Nature and Performance

- ◆ Tel: 877-425-9961
- ◆ Web: www.createflooring.com
- ◆ Address: 124 Industrial Blvd NE Calhoun, GA 30701

