



EXPERT FLOORING

MANUFACTURER SINCE 2005





Our Passion is Nature and Performance

CONTENTS

SPC Flooring	P1-P16
--------------	--------

WPC Flooring	P17-P20
--------------	---------

LVP Glue Down Flooring	P21-P25
------------------------	---------

Engineered Wood	P26-P35
-----------------	---------

Solid Wood	P36-P38
------------	---------

Laminate	P39
----------	-----

Water Resistant Laminate	P40-P41
--------------------------	---------

Molding	P42-P43
---------	---------

Underlayment	P44
--------------	-----



GREAT EXPECTATIONS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	8 MIL(0.2MM)
WEAR LAYER APPEARANCE	EMBOSSED
FINISH	UV CURED URETHANE
SIZE	7"X48" NOMINAL
PIECES PER CARTON	10
QUANTITY	23.64 SF
CARTON WEIGHT	37 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1,654.8 SF
PALLET WEIGHT	2,380 LBS
CONTAINER QUANTITIES	20 PALLETS/33,096 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



UNIQUE 880



GE156 CINNAMON

GE480 SWICKED HICKORY

GE489 GRAYLING

GE486 DRIFTWOOD

GE488 HAZEL

GE494 CHESTNUT

GE452 GOLDEN OAK

GE919 BURNISHED PECAN

883 FAMOUS

881 HAPPINESS

884 PLEASANT

880 UNIQUE



HAWTHORN RIGID

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	4.0MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV CURED URETHANE
WEAR LAYER APPEARANCE	DEEP EMBOSSED
PIECES PER CARTON	10
CARTON QUANTITY	24.30 SF
CARTON WEIGHT	41.8 LBS
CARTONS PER PALLET	65
PALLET QUANTITY	1,579.5 SF
PALLET WEIGHT	2762 LBS
CONTAINER QUANTITIES	20 PALLETS/31,590 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



SABLE SPC45-10



PINNACLE
SPC45-7



HAZEL
SPC45-12



CASTLE
SPC45-8



SABLE
SPC45-10



FOSSIL
SPC822



COLONIAL
SPC3022



BRAZILIAN RED HICKORY
SPC032



AMERICAN GREY OAK
SPC538



SUNSET
SPC007



JAYDEN COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7.2"X48"
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV COATING
WEAR LAYER APPEARANCE	EMBOSSED
BEVEL TREATMENT	MICRO BEVEL
ATTACHED CUSHION	1 MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	24 SF
CARTON WEIGHT	35.4 LBS
PALLET WEIGHT	2478 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1680 SF
CONTAINER QUANTITIES	20 PALLETS/33,600 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



SA60 BRICK



SA60 BRICK



SA110 RUSTY



SA113 GUNMETAL



SA88 BEACHSIDE



PREMIER ULTRA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER APPEARANCE	EMBOSSED
FINISH	ALUMINUM, OXIDE
ATTACHED CUSHION	1MM EVA PAD
PIECES PER CARTON	10 CARTON
QUANTITY	24.29 SF
CARTON WEIGHT	42 LBS
CARTONS PER PALLET	65
PALLET QUANTITY	1,578.85 SF
PALLET WEIGHT	2,730 LBS
CONTAINER QUANTITIES	20 PALLETS/31,577 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



VIENNA 8814-1



AROMA 8814-3



MOCHA 8814-5



WILLOW 19-007



RIGID PLUS II

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV CURED URETHANE
WEAR LAYER APPEARANCE	EMBOSSED
ATTACHED CUSHION	1MM EVA PAD
PIECES PER CARTON	10
CARTON QUANTITY	23.64 SF
CARTON WEIGHT	34 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1,654.8 SF
PALLET WEIGHT	2,380 LBS
CONTAINER QUANTITIES	20 PALLETS/33,096 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



RP494 CHESTNUT



RP156 CINNAMON

RP480 SMOKED HICKORY

RP485 APPALACHIA

RP486 DRIFTWOOD

RP488 HAZEL

RP489 GRAYING

RP494 CHESTNUT

RP400 SMOKEY OAK

RP452 GOLDEN OAK

RP019 BURNISHED PECAN



STONECORE COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
OVERALL THICKNESS	5.0 MM
WEAR LAYER THICKNESS	22MIL
WEAR LAYER APPEARANCE	TILE
FINISH	CERAMIC BEAD SIZE
ATTACHED CUSHION	1 MM IXPE
SIZE	12"×24" NOMINAL
PIECES PER CARTON	10
CARTON QUANTITY	20.03 SF
CARTON WEIGHT	34.5 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	961.44 SF
PALLET WEIGHT	1656 LBS
CONTAINER QUANTITIES	30 PALLETS-20FT 28843.2 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED



Sandstone



WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



Obsidian



Slate



Ivory Quarry



Sandstone



Golden Dune



ASSURANCE

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	4.5MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	UV CURED URETHANE
WEAR LAYER APPEARANCE	EMBOSSED
PIECES PER CARTON	10
CARTON QUANTITY	23.64 SF
CARTON WEIGHT	35.4 LBS
CARTONS PER PALLET	70
PALLET QUANTITY	1,654.8 SF
PALLET WEIGHT	2478 LBS
CONTAINER QUANTITIES	20 PALLETS/33096 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



A885 INSPIRE



A880
DISTINCTIVE



A881
CONTENT



A883
PROMINENT



A884
AGREEABLE



A885
INSPIRE



GRAND VALLEY II

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
OVERALL THICKNESS	5.5MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
BEVEL	V-GROOVE PAINTED
ATTACHED CUSHION	1.5MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	30.17 SF
CARTON WEIGHT	50 LBS
CARTONS PER PALLET	50
PALLET QUANTITY	1,508.5 SF
PALLET WEIGHT	2,618 LBS
CONTAINER QUANTITIES	21 PALLETS/31,678.5 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



OUTPOST



GV246
MT MCKINLEY

GV701
OUTPOST

GV206
WINTER GREY

GV203
SINTRA OAK

GV1753
DELANO

GV6559
LANGLEY

GV6134
LONG BEACH

GV4322
LONG HILL

GV1681
NEW YORK

GV7413
FARMINGDALE



HIGHLAND

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	9"X72" NOMINAL
WEAR LAYER	UV CURED URETHANE WITH CERAMIC BEAD
WEAR LAYER THICKNESS	20 MIL(0.5MM)
APPEARANCE	WOOD GRAIN EMBOSSING
BEVEL	V-GROOVE PAINTED
PIECES PER CARTON	6
OVERALL THICKNESS	7.0MM
CORE MATERIAL&THICKNESS	5.5MM ABA CONSTRUCTION VINYL+SPC+VINYL
ATTACHED CUSHION	1.5MM HIGH DENSITY EVA WITH WATERPROOF FILM
CARTON QUANTITY	27.2 SF
CARTON WEIGHT	60 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	1305.6 SF
PALLET WEIGHT	2880 LBS
40 CONTAINER QUANTITIES	18 PALLETS/23,500.8 SF

PHTHALATE FREE
 100% VIRGIN PVC CONSTRUCTION
 FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



WD3003



WD3003

WD3006

WD3008

WD3015

WD7001

WD7005

CEDAR CREEK
10414

TIMBER CREEK
2611

COTTEN WOOD
19007

AGED MAPLE
18002

BEAR CREEK
10246

PINE CREEK
32004



RIGID ULTRA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	6MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
ATTACHED CUSHION	2MM EVA PAD
PIECES PER CARTON	10
CARTON QUANTITY	23.8 SF
CARTON WEIGHT	42 LBS
CARTONS PER PALLET	60
PALLET QUANTITY	1,428 SF
PALLET WEIGHT	2,595 LBS
CONTAINER QUANTITIES	20 PALLETS/28,560 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



18011 RECLAIMED SUMMER



18012 BEACHCOMBER



18013 DISTRESSED PINE



18005 RIVERWALK OAK



18006 SILVERED MAPLE



TRIUMPH COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	9"X60"
OVERALL THICKNESS	5.5MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	UV COATING
WEAR LAYER APPEARANCE	EMBOSSED
BEVEL TREATMENT	MICRO BEVEL
ATTACHED CUSHION	1.5MM PAD
PIECES PER CARTON	8
CARTON QUANTITY	30 SF
CARTON WEIGHT	50 LBS
CARTONS PER PALLET	72
PALLET QUANTITY	2160 SF
PALLET WEIGHT	3600 LBS
CONTAINER QUANTITIES	14 PALLETS/30,240 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



SA112 CONQUER



SA112 CONQUER



SA14 VICTORY



SA106 OPULENCE



SA38 PROSPER



GLORY COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	5.0MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER APPEARANCE	EMBOSSED
FINISH	ALUMINUM OXIDE
ATTACHED CUSHION	1.0MM EVA PAD
PIECES PER CARTON	12
CARTON QUANTITY	28.4 SF
CARTON WEIGHT	49 LBS
CARTONS PER PALLET	55
PALLET QUANTITY	1,562 SF
PALLET WEIGHT	2,695 LBS
CONTAINER QUANTITIES	20 PALLETS-20FT 31,240 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



Prestige USA182



Honor
USA19-007

Majesty
USA246

Acclaimed
USA701

Prestige
USA182

Tribute
USA3006

Illustrious
USA206

Pride
USA45-7

Splendor
USA452

Renowned
USA8541

Distinction
USA8387

Greige Walnut
1564



EARTH DELIGHTS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK	
SIZE	7"X48"	/ 9"X48"
OVERALL THICKNESS	6MM	
WEAR LAYER THICKNESS	22MIL	
WEAR LAYER FINISH	ALUMINUM OXIDE	
WEAR LAYER APPEARANCE	EMBOSSED	
CARTON QUANTITY	28.68 SF	/ 27.63 SF
PIECES PER CARTON	12	/ 9
CARTON WEIGHT	50 LBS	/ 48 LBS
CARTON PER PALLET	55	/ 56
PALLET WEIGHT	2,750 LBS	/ 2,688 LBS
CONTAINER QUANTITIES	20 PALLETS	
	31,548 SF	/ 30,945.6 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



ED6222 Morning Dew



G206 Stardust
7"



G182 Almond
7"



G701 Toasted Timber
7"



G3006 Truffle
7"



G452 Harvest
7"



ED6412 Bernhard
7"



ED802 Black Oak
9"



ED6222 Morning Dew
9"



ED919 Burnished Pecan
9"



VENETIAN COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	12"X24"
OVERALL THICKNESS	6.5MM
WEAR LAYER THICKNESS	20 MIL
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	LIGHT EMBOSS
BEVEL TREATMENT	V-GROOVE PAINTED
ATTACHED CUSHION	1 MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	19.38 SF
CARTON WEIGHT	48 LBS
PALLET WEIGHT	2350 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	930.24 SF
CONTAINER QUANTITIES	20 PALLETS/18,604.8 SF



BOLZANO 2823

PHTHALATE FREE


100% VIRGIN PVC CONSTRUCTION

WARRANTIES





INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)


 NOVE
1406

 ELBA
2804

 MOUNT ETNA
2815

 BOLZANO
2823

 AVIANO
2832

 CAVE DI MARMO
2833



MARITIME COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SPC CORE LUXURY VINYL PLANK
SIZE	7"X48"
OVERALL THICKNESS	6.5MM
WEAR LAYER THICKNESS	20 MIL
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
BEVEL TREATMENT	V-GROOVE PAINTED
ATTACHED CUSHION	1.5 MM PAD
PIECES PER CARTON	10
CARTON QUANTITY	23.33 SF
CARTON WEIGHT	54 LBS
PALLET WEIGHT	2430 LBS
CARTONS PER PALLET	45
PALLET QUANTITY	1049.85 SF
CONTAINER QUANTITIES	20 PALLETS/20,997 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



KNOTTY SEA DRIFT 8009



Weathered Boardwalk
2450



Knotty Sea Drift
8009



Chestnut Cove
8013



Inland Grey
8022



Sand Swept
8028



Schooner Plank
9001



GLORY SUPREME COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY:	SPC CORE LUXURY VINYL PLANK
SIZE:	7.2" x 48"
OVERALL THICKNESS:	5.5 MM
WEAR LAYER THICKNESS:	20MIL (0.5MM)
WEAR LAYER FINISH:	UV COATING
WEAR LAYER APPEARANCE:	EMBOSSED
BEVEL TREATMENT:	PAINTED BEVEL
ATTACHED CUSHION:	1.5 MM PAD
PIECES PER CARTON:	12
CARTON QUANTITY:	28.84 SF
CARTON WEIGHT:	55
CARTONS PER PALLET:	49 LBS
PALLET QUANTITY:	1586 SF
PALLET WEIGHT:	2757 LBS
CONTAINER QUANTITIES:	20 PALLETS-20FT



PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



PRESTIGEII VG182



SPLENDORII VG452



ACCLAIMEDII VG701



DISTINCTIONII VG8387



MAJESTYII VG246



ILLUSTRIOUSII VG206



RESERVE COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED LUXURY VINYL PLANK
SIZE	9"X60"
OVERALL THICKNESS	Nominal 1/2"(12MM)
WEAR LAYER THICKNESS	22MIL(0.55MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTERED
CARTON QUANTITY	26.18SF
PIECES PER CARTON	7
CARTON WEIGHT	55
CARTON PER PALLET	44
PALLET WEIGHT	2480 LBS
CONTAINER QUANTITIES	23 PALLETS/26,494.16 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



R9802 Maison



R9825 AVALON



R6412 BERNHARDT



R9802 MAISON



R9821 CHANTILLY



R9824 DAWSON



OAKHAVEN COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY:	ENGINEERED LUXURY VINYL PLANK
SIZE:	9"X60"
OVERALL THICKNESS:	NOMINAL 7.5MM
BEVEL:	PAINTED V-GROOVE
WEAR LAYER THICKNESS:	20MIL(0.5MM)
WEAR LAYER FINISH:	ALUMINUM OXIDE
WEAR LAYER APPEARANCE:	EMBOSSSED
CARTON QUANTITY:	33.66 SF
PIECES PER CARTON:	9
CARTON WEIGHT:	41.71 LBS
CARTONS PER PALLET:	44
PALLET QUANTITY:	1,481.04 SF
PALLET WEIGHT:	1,834.8LBS
CONTAINER QUANTITIES:	27 PALLETS/39,988.08 SF



Sahara Oak

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



Aurora Oak

Everwood Oak

Sahara Oak

Whispering Oak

Alpine

Bedrock Wood

Rough Sewn Revival II

Rustic Oak II

Barnwood



SERENE SCAPES

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED LUXURY VINYL PLANK
SIZE	9"X60" NOMINAL
OVERALL THICKNESS	8MM
WPC CORE THICKNESS	4MM
LVT TOP THICKNESS	2MM
ATTACHED CUSHION BEVEL	2MM
BEVEL	FOUR SIDES NATURAL PRESSED BEVEL
WEAR LAYER THICKNESS	22MIL
WEAR LAYER FINISH	ALUMINUM OXIDE
FINISH	EMBOSSED IN REGISTER
CARTON QUANTITY	37.4 SF
PIECES PER CARTON	10
CARTON WEIGHT	56 LBS
CARTONS PER PALLET	48
PALLET WEIGHT	2688 LBS
CONTAINER QUANTITIES	21 PALLETS/37,699.2 SF

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



S6219
Sun-kissed

S6220
Moonlight

S6221
Windswept Sands

S6222
Morning Dew

S6307
Mountain Fog

S6308
Lunar Eclipse

S6309
Starry Night

S6310
Untouched Beaches

American cherry

Brazilian cherry



SPARTA DIAMOND

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED LUXURY VINYL PLANK
SIZE	9"X72" NOMINAL
OVERALL THICKNESS	8MM
LWP CORE THICKNESS	4MM
LVT TOP THICKNESS	2MM
ATTACHED CUSHION	2MM
WEAR LAYER THICKNESS	22MIL(0.56MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
CARTON QUANTITY	27 SF
PIECES PER CARTON	6
CARTON WEIGHT	40 LBS
CARTONS PER PALLET	60
PALLET QUANTITY	1,620 SF
PALLET WEIGHT	2,475 LBS
CONTAINER QUANTITIES	23 PALLETS/37,260 SQFT

PHTHALATE FREE

100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

CLICK SYSTEM (FLOATING FLOOR)



MW147




MW147 OYSTER



MW182 SANDALWOOD



MW472 BEACHWOOD



MW475 DRIFTWOOD



MW701 WEATHERED OAK



MW702 MANOR OAK



MW708 SMOKED TIMBER



ALABASTER



CLAM SHELL



IVORY COAST



MAGELLAN



MAIBARA



FOUNDATION COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	6"X48" NOMINAL
OVERALL THICKNESS	2MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER APPEARANCE	CERAMIC BEAD
FINISH	ALUMINUM OXIDE
PIECES PER CARTON	20
CARTON QUANTITY	40 SF
CARTON WEIGHT	34 LBS
CARTONS PER PALLET	72
PALLET QUANTITY	2880 SF
PALLET WEIGHT	2448 LBS
CONTAINER QUANTITIES	20 PALLETS-20FT/57,600 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

GLUE DOWN



FC452 NEW HARVEST



FC880 EASY GREY



FC538 PEWTER



FC246 BALMY



FC452 NEW HARVEST



CONTOUR COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	9"X48" NOMINAL
OVERALL THICKNESS	5MM
WEAR LAYER THICKNESS	22 MIL(0.55MM)
WEAR LAYER APPEARANCE	CERAMIC BEAD
FINISH	ALUMINUM OXIDE
PIECES PER CARTON	10
CARTON QUANTITY	30 SF
CARTON WEIGHT	51 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	1,440 SF
PALLET WEIGHT	2,448 LBS
CONTAINER QUANTITIES	20 PALLETS-20FT/28,800 SF

PHTHALATE FREE
 100% VIRGIN PVC CONSTRUCTION
 FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION
 FULL SPREAD

GLUE DOWN



C193
METROPOLITAN



C193
METROPOLITAN

C3062
RUSTIC OAK

C301
BOUTIQUE GREY

C3065
BLANCHED

C3063
SOUTHERN CHARM

C636
SIGNATURE

C637
TIMELESS

C452
HONEY OAK

C6222
MORNING DEW



BLUE RIDGE

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	2MM
WEAR LAYER THICKNESS	12 MIL(0.3MM)
WEAR LAYER FINISH	ALUMINUM OXIDE
WEAR LAYER APPEARANCE	EMBOSSED
PIECES PER CARTON	20
CARTON QUANTITY	49.13 SF
CARTON WEIGHT	40 LBS
CARTONS PER PALLET	65
PALLET WEIGHT	2,655 LBS
CONTAINER QUANTITIES	20 PALLETS/63,869 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

GLUE DOWN



BLOWING ROCK 0840



BLOWING ROCK
0840



ROANOKE
0850



ASHEVILLE
4021



CASHIERS
94700



ACADIA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LUXURY VINYL PLANK
SIZE	7"X48" NOMINAL
OVERALL THICKNESS	3MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
WEAR LAYER FINISH	ALUMINUM OXIDE INFUSED URETHANE
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
PIECES PER CARTON	16
CARTON QUANTITY	37.33 SF
CARTON WEIGHT	40 LBS
CARTONS PER PALLET	60
PALLET QUANTITY	2,239.8 SF
PALLET WEIGHT	2,450 LBS
CONTAINER QUANTITIES	20 PALLETS/44,796 SF/20FT

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

GLUE DOWN



1001 PINEHURST




3062 AGED TIMBER



1001 PINEHURST




3065 DOVE



Q1768 FOREST WOOD



193 METRO



3063 OUTERBANKS



AURA STONE

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	Luxury Vinyl Plank
SIZE	24"x12" Nominal
OVERALL THICKNESS	3 MM
WEAR LAYER THICKNESS	30 MIL
FINISH	UV Coating
PIECES PER CARTON	21
CARTON QUANTITY	42.1 SF
CARTON WEIGHT	51 LBS
CARTONS PER PALLET	54
PALLET QUANTITY	2,273.4 SF
PALLET WEIGHT	2,754 LBS
CONTAINER QUANTITIES	20 PALLETS - 45,468 SF

PHTHALATE FREE
100% VIRGIN PVC CONSTRUCTION

WARRANTIES



INSTALLATION

GLUE DOWN



CARRERA MIST



CARRERA MIST



GLACIER STONE



TRAVERTINE BREEZE



SHADOWBROOK

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	BIRCH
SIZE	5"X RANDOM LENGTH
OVERALL THICKNESS	3/8"
FINISH	UV CURED URETHANE
APPEARANCE	HANDSCRAPED
CARTON QUANTITY	33.08 SF
CARTON WEIGHT	44 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	1190.88 SF
PALLET WEIGHT	1584 LBS
CONTAINER QUANTITIES	36 PALLETS/42,871.68 SF

CARB II COMPLIANT
 LACEY ACT COMPLIANT
 TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE



TANNED



HAYSTACK



NATURAL



OYSTER



TANNED



TERRA



BAINBRIDGE III

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	HICKORY
SIZE	5"X RANDOM LENGTH
OVERALL THICKNESS	3/8"
FINISH	UV CURED URETHANE
APPEARANCE	HAND SCRAPPED/CHATTER
CARTON QUANTITY	33.08 SF
CARTON WEIGHT	45 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	1190.88 SF
PALLET WEIGHT	1620 LBS
CONTAINER QUANTITIES	36 PALLETS/42,871.68 SF

CARB II COMPLIANT
 LACEY ACT COMPLIANT
 TSCA TITLE VI COMPLIANT

WARRANTIES




INSTALLATION


GLUE




SEQUOIA




SMOKED




PALDERO



PRAIRIE



OLYMPIC



WARM EARTH



ATLANTIC COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED FLOORING
SPECIES	HICKORY
SIZE	7-1/2" X R.L. (UP TO 6')
THICKNESS	NOMINAL 9/16"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	38.9 SF
CARTON WEIGHT	71 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	1,556 SF
PALLET WEIGHT	2,840 LBS
CONTAINER QUANTITIES	24 PALLETS/37,344 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE



MARTHAS VINEYARD



MARTHAS VINEYARD



CAROLINA BEACH



NANTUCKET ISLAND



CAPE FEAR



PACIFIC COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED FLOORING
SPECIES	HICKORY
SIZE	7-1/2"X R.L.(UP TO 6')
THICKNESS	NOMINAL 5/8"
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	35 SF
CARTON WEIGHT	68 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	1,400 SF
PALLET WEIGHT	2,720 LBS
CONTAINER QUANTITIES	24 PALLETS/33,600 SF

CARB II COMPLIANT
 LACEY ACT COMPLIANT
 TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE OR STAPLE



LAGUNA BEACH



PUNTA GORDA



LAGUNA BEACH



OCEAN SHORES



BIG SUR



SELLERSBURG OAK

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	WHITE OAK
SIZE	5"X RANDOM LENGTH
OVERALL THICKNESS	3/8"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	33.08 SF
CARTON WEIGHT	44 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	1190.88 SF
PALLET WEIGHT	1,584 LBS
CONTAINER QUANTITIES	36 PALLETS/42,871.68 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE



NP513 ADMIRAL OAK



DESERT DUST



NATURAL



STERLING



JACKSON



CHEYENNE



CARAWAY



ADMIRAL OAK



PORT OAK



VINEYARDS COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	OAK
SIZE	7-1/2"X R.L.(UP TO 6)
OVERALL THICKNESS	1/2"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	31.09 SF
CARTON WEIGHT	50 LBS
CARTONS PER PALLET	50
PALLET QUANTITY	1,554.5 SF
PALLET WEIGHT	2,500 LBS
CONTAINER QUANTITIES	22 PALLETS/34,199 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE OR STAPLE



BUTTERFLY CREEK



BUTTERFLY CREEK

LAUREL GLEN

WELLINGTON

SAPPHIRE HILL

SEAL BEACH

LANDMARK

DEERFIELD

WESTBROOK

BERINGER

O'BRIEN



ENCHANTED COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SPECIES	OAK
SIZE	7-1/2" X R.L. (UP TO 6')
THICKNESS	NOMINAL 5/8"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	31.09 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	1243.6 SF
PALLET WEIGHT	2,600 LBS
CONTAINER QUANTITIES	24 PALLETS/29846.4 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE OR STAPLE



RIVERS EDGE



GLACIER



BEDROCK



RIVERS EDGE



CARVED VALLEYS



ALPINE MEADOWS



MAJESTIC VIEWS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	OAK ENGINEERED FLOORING
SIZE	6-1/2" X R.L.
OVERALL THICKNESS	3/8"
FINISH	CURED URETHANE
APPEARANCE	WIRE BRUSHED
PIECES PER CARTON	20
CARTON QUANTITY	43 SF
CARTON WEIGHT	56 LBS
CARTONS PER PALLET	27
PALLET QUANTITY	1161 SF
PALLET WEIGHT	1,600 LBS
CONTAINER QUANTITIES	40 PALLETS/46,440 SF

CARB PHASE 2 CERTIFIED

WARRANTIES



INSTALLATION

GLUE



GRAND TETONS



ASPENS



CASCADES



SMOKY MOUNTAINS



ROCKY MOUNTAINS



CRAFTED COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	BIRCH ENGINEERED FLOORING
SIZE	6-1/2"x R.L
OVERALL THICKNESS	3/8"
FINISH	CURED URETHANE
APPEARANCE	WIRE BRUSHED
PIECES PER CARTON	20
CARTON QUANTITY	43 SF
CARTON WEIGHT	56 LBS
CARTONS PER PALLET	27
PALLET QUANTITY	1161SF
PALLET WEIGHT	1,600 LBS
CONTAINER QUANTITIES	40 PALLETS / 46,440SF

CARB PHASE 2 CERTIFIED

WARRANTIES



INSTALLATION

GLUE OR STAPLE



FROSTED GRAIN



PALE CANVAS



AGED CHESTNUT



WARM AMBER



FROSTED GRAIN



BELVEDERE COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	ENGINEERED HARDWOOD
SIZE	10-1/4" x R.L. (Up to 86-5/8")
OVERALL THICKNESS	3/4"
FINISH	UV CURED URETHANE
APPEARANCE	WIRE BRUSHED
CARTON QUANTITY	30.8 SF
CARTON WEIGHT	73 LBS
CARTONS PER PALLET	44
PALLET QUANTITY	1,355.2 SF
PALLET WEIGHT	3,212 LBS
CONTAINER QUANTITIES	19 PALLETS / 25,749 SF

CARB II COMPLIANT
LACEY ACT COMPLAINT
TSCA TITLE VI COMPLIANT

WARRANTIES



INSTALLATION

GLUE AND STAPLE



SUMMIT



MONTCLAIR



BERKELEY



PALISADES



SUMMIT



SONOMA

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SOLID HARDWOOD
SPECIES	BIRCH
SIZE	4 3/4"X RANDOM LENGTH
OVERALL THICKNESS	3/4"
FINISH	UV CURED URETHANE
APPEARANCE	HANDSCRAPED CHATTER
CARTON QUANTITY	24.22 SF
CARTON WEIGHT	63 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	968.8 SF
PALLET WEIGHT	2,595 LBS
CONTAINER QUANTITIES	18 PALLETS/17,438.4 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
FOREST STEWARDSHIP COUNCIL CERTIFIED

WARRANTIES



INSTALLATION

NAIL



WHEAT



SIFTING SANDS



WHEAT




SMOKEY



NATURAL



BUTTERED RUM



WOODFORD



GOLDEN SAND



ASIAN WALNUT

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SOLID HARDWOOD
SPECIES	ASIAN WALNUT
SIZE	5"X RL (up to 6")
OVERALL THICKNESS	3/4"
FINISH	UV CURED URETHANE
APPEARANCE	HANDSCRAPED
CARTON QUANTITY	24.22 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	968.8 SF
PALLET WEIGHT	2,450 LBS
CONTAINER QUANTITIES	22 PALLETS/21,313.6 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
FOREST STEWARDSHIP COUNCIL CERTIFIED

WARRANTIES



INSTALLATION

NAIL



NATURAL



NATURAL



VINTAGE



PARAGON



DUSKY



SAGINAW

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	SOLID WOOD
SPECIES	HICKORY
SIZE	4 3/4" X RANDOM LENGTH
OVERALL THICKNESS	3/4"
WEAR LAYER APPEARANCE	DISTRESSED, WIRE BRUSHED
FINISH	UV CURED URETHANE
CARTON QUANTITY	23 SF
CARTON WEIGHT	65 LBS
CARTONS PER PALLET	40
PALLET QUANTITY	920 SF
PALLET WEIGHT	2,600 LBS
CONTAINER QUANTITIES	20 PALLETS / 18400 SF

CARB II COMPLIANT
LACEY ACT COMPLIANT
FOREST STEWARDSHIP COUNCIL CERTIFIED

WARRANTIES



INSTALLATION


NAIL



NATURAL



NATURAL



COOPER CREEK



CALHOUN



MORGANTON COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	LAMINATE FLOORING
SIZE	6 1/2"X48" NOMINAL
OVERALL THICKNESS	14MM
WEAR LAYER	AC4
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
ATTACHED CUSHION	2 MM EVA PAD
PIECES PER CARTON	8
CARTON QUANTITY	17.6 SF
CARTON WEIGHT	37 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	844.8 SF
PALLET WEIGHT	1,842 LBS
CONTAINER QUANTITIES	31 PALLETS/ (26,188.8 SF)

MEET CALIFORNIA CARB II REQUIREMENTS
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM(FLOATING FLOOR)



F665 LOWERY



F662
TOCCA



F665
LOWERY



F666
TANGLEWOOD



L377
SUGAR CREEK



LOFTS COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	Water Resistant Laminate Flooring
SIZE	7.68"W XR.L 2' ,4' ,6'
WEAR LAYER	AC4
WEAR LAYER APPEARANCE	EMBOSSED IN REGISTER
ATTACHED CUSHION	2 MM EVA PAD
PLANK THICKNESS	12MM
PIECES PER CARTON	9
CARTON QUANTITY	23.05 SF
CARTON WEIGHT	51 LBS
CARTONS PER PALLET	48
PALLET QUANTITY	1106.4 SF
PALLET WEIGHT	2500 LBS
CONTAINER QUANTITIES	16 PALLETS/17,702.4 SF

MEETS CALIFORNIA CARB II REQUIREMENTS
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM(FLOATING FLOOR)



L9551 ROSSLYN



Water resistance 99 hours



L6011
WYNWOOD

L9551
ROSSLYN

L9023
NEWBERRY

L8151
SOHO

L1603
ROWAN

L1623
SOJOURN

L2335
SARATOGA

L1648
PEACHTREE

L8109
MIDTOWN



ESSENTIALS COLLECTION

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	Water Resistant Laminate Flooring
SIZE	9"X60"
OVERALL THICKNESS	7/16"(11 MM)
ATTACHED CUSHION	Yes
WEAR LAYER	AC4
WEAR LAYER APPEARANCE	EMBOSS IN REGISTER
PIECES PER CARTON	8
CARTON QUANTITY	31.31 SF
CARTON WEIGHT	49 LBS
CARTON PER PALLET	44
PALLET QUANTITY	1,377.64 SF
PALLET WEIGHT	2156 LBS
CONTAINER QUANTITIES	25 PALLETS/34,441 SF

MEETS CALIFORNIA CARB II REQUIREMENTS
FLOORSORE CERTIFIED

WARRANTIES



INSTALLATION

CLICK SYSTEM(FLOATING FLOOR)



321 Celestial



321 CELESTIAL



328 MORNING HAZE



325 DESERT SKY



323 CANYON DUSK



127 CLOUDBANK



126 MOONDUST



WPC Reducer

2400x45x9mm




WPC Stairnose

2400x55x18mm



WPC Flush Stairnose

2400x72x25mm



WPC Flush Stairnose

2400x115x25mm



WPC Flush Stairnose

2400x110x25mm



WPC T-Molding

2400x45x8mm

SOLID WOOD MOLDING



Reducer

1950x40xFlooring thickness



T-molding

1950x40x15mm



End-cap

1950x50x16.5mm



Stairnose

1950x78x20/Flooring thickness

ADVANCED
Multi-Functional Vinyl Adhesive

CREATE
FLOORING BY MUCHSEE®

APPROVED FLOORING TYPES

LVT/VCT • Carpet tile • Hardwood/Engineered • Sheet vinyl • Bamboo/Straw
 Rubber • Cork • Laminate • WPC/SPC • Solid Surface • Stone
 Tiles • Granite • Marble • Quartz • Terrazzo • Polished Concrete
 (with primer) • Ceramic Tiles (with primer) • Glass Tiles (with primer)
 • *Not for use on: • Wax • Grease • Oil • Acid • Alkaline • Solvents
 • *Net Content: 1 gal / 12.8 fl. oz.

PRODUCT BENEFITS

- Immediate return to traffic (1-2 hours)
- Excellent adhesion to most substrates
- High strength, impact resistant
- Easy to clean and maintain
- 100% VOC compliant (MEK extractable)
- 100% NSF compliant (NSF 61)

For more information, visit www.createflooring.com
 or call 877-425-9961.





STAIR TREADS

PHYSICAL CONSTRUCTION

PRODUCT CATEGORY	FLOORING ACCESSORIES
SIZE	4' (L)X12"(W)
THICKNESS	8MM
WEAR LAYER THICKNESS	20 MIL(0.5MM)
FINISH	ALUMINUM OXIDE
PIECES PER CARTON	4
CARTON WEIGHT	25 LBS
CARTONS PER PALLET	36
PALLET QUANTITY	144PCS
PALLET WEIGHT	900 LBS

PHTHALATE FREE

100% VIRGIN VINYL FIBERGLASS LAYER

FLOORSORE CERTIFIED

WARRANTIES




INSTALLATION

GLUE DOWN



GV1681



GV701



GV246



GV206



Brazilian cherry



American cherry



WD7005



WD3008



USA452



UNIQUE 880



S6308



S6310



S6219




S6221

Our stair treads selection comes from a few of the same films used in producing our everyday running line flooring. The film selected for the stair treads may have pictures of wood checking, rough sawn marks, and other rustic characteristics of what a real hardwood might look like. It is not considered a flaw nor defect should any of these characteristics be found on the nose of the stair tread or any other places on the stair tread. As always, we encourage you to inspect your purchase prior to installation. No claims will be considered or allowed for these characteristics depicted on our stair treads. A restock fee will apply to all returns as well as any and all freight-related costs of uninstalled or cut stair treads.



UNDERLAYMENT INFORMATION

STYLE #	STYLE	DESCRIPTION	SF/ ROLL	ROLLS/ PALLET	TRUCKLOAD	WGT/LBS PALLET
ULO2	3MM. BLACK EVA SCUBA W/ PLASTIC 	3MM BLACK EVA SCUBA WITH PLASTIC/ LIP AND TAPE	100	78	1440	600
ULO6	BLUE 3N1 FOAM 	2MM WITH VAPOR BARRIER/ LIP AND TAPE	100	100	2440	160
ULO7	6MIL PE FILM 	6MIL PE MOISTURE BARRIER	400	100	5000	1390
UL12		1.5MM BLACK EVA SCUBA WITH PLASTIC/LIP AND TAPE	100	64	2200	250
ULO8	1mm GREEN/ BLACK 	1MM LVP UNDERLAMENT WITH PLASTIC/LIP AND TAPE	100	64	2200	150



Our Passion is Nature and Performance

- ◆ Tel: 877-425-9961
- ◆ Web: www.createflooring.com
- ◆ Address: 124 Industrial Blvd NE Calhoun, GA 30701

